Version Number 1.11 Revision Date 02/09/2022



SAFETY DATA SHEET

GEON 68929 WHT 1090

Section 1. Identification				
GHS product identifier Chemical name	:	GEON 68929 WHT 1090 Mixture		
CAS number Other means of identification Product type	:	Mixture 6892900B1090 solid		
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.				
Supplier's details	:	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145		
Emergency telephone number (with hours of operation)	:	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

Version Number 1.11 Revision Date 02/09/2022 Page 2 of 18 Print Date 12/21/2024

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	6892900B1090

CAS number/other identifiers

Ingredient name	%	CAS number
Antimony trioxide	>= 5 - <= 10	1309-64-4
Titanium dioxide	>= 3 - <= 5	13463-67-7
Dibutyltin mercaptide	>= 1 - <= 3	10584-98-2
Talc	> 0 - <= 0.3	14807-96-6
Styrene	> 0 - <= 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Version Number 1.11 Revision Date 02/09/2022 **GEON**[®] Performance Solutions

Page 3 of 18 Print Date 12/21/2024

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	ntio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Version Number 1.11 Revision Date 02/09/2022 Page 4 of 18 Print Date 12/21/2024

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up



090



Version Number 1.11	Page 5 of 18
Revision Date 02/09/2022	Print Date 12/21/2024

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
 Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Antimony trioxide	NIOSH REL (1994-06-01)	
	TWA 0.5 mg/m3	
	OSHA PEL 1989 (1989-03-01)	
	TWA 0.5 mg/m3 (as antimony)	
	OSHA PEL (1993-06-30)	
	TWA 0.5 mg/m3 (as antimony)	
	ACGIH TLV (2021-01-07)	
	TWA 0.02 mg/m3 Form: Inhalable fraction	

Version Number 1.11 Revision Date 02/09/2022

Page 6 of 18
Print Date 12/21/2024

Titanium dioxideOSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGH TLV (1996-05-18) TWA 10 mg/m3Dibutyltin mercaptideACGIH TLV (1996-05-18) Absorbed t TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-06-01) Absorbed t STEL 0.2 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed t TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed t TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed t TWA 0.1 mg/m3 (as Sn) OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn)TalcOSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic for OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fractic ACGIH TLV (1998-09-01) TWA 2 mg/m3 Form: Respirable fractic ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter For STEL 1 fibers per cubic centimeter For acGIH TLV (1998-09-01) TWA 2 mg/m3 Form: Respirable fractic ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter For acGIH TLV (1998-09-01) TWA 2 mg/m3 Form: Respirable fractic ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter For s mum; length / diameter ratio (aspect) i membrane filter method at 400 - 450 xu nu sing illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fractic OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable fractic OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01)	
TWA 0.1 mg/m3 (as Sn)ACGIH TLV (1994-09-01) Absorbed t STEL 0.2 mg/m3 (as Sn)NIOSH REL (1994-06-01) Absorbed ti TWA 0.1 mg/m3 (as Sn)OSHA PEL 1989 (1989-03-01) Absorb TWA 0.1 mg/m3 (as Sn) Form: Organic OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn)TalcOSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic for OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fractic ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter For s.mu.m; length / diameter ratio (aspect) is membrane filter method at 400 - 450 x m using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fractic OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable fractic	
 TWA 20 million particles per 1 cubic for OSHA PEL Z3 (1997-09-03) STEL 1 fibers per cubic centimeter For TWA 0.1 fibers per cubic centimeter For STEL 1 fibers per cubic centimeter For ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fibers per cubic centimeter For 5 .mu.m; length / diameter ratio (aspect) 3 membrane filter method at 400 - 450 x m using illumination of phase contrast. NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust 	nrough skin. nrough skin. ed through skin.
TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction	n: not/asb rm: con/asb n: con/asb n rm: respirable fibers: length> 3: 1, determined by the agnification (4mm objective) n
Styrene ACGIH TLV (2020-03-01) Ototoxican TWA 10 ppm STEL 20 ppm	



Version Number 1.11 Revision Date 02/09/2022 Page 7 of 18 Print Date 12/21/2024

		NIOSH REL (1994-06-01)			
		TWA 215 mg/m3 50 ppm			
		STEL 425 mg/m3 100 ppm			
		OSHA PEL 1989 (1989-03-01)			
		TWA 215 mg/m3 50 ppm			
		STEL 425 mg/m3 100 ppm			
		OSHA PEL Z2 (1993-06-30)			
		TWA 100 ppm			
		CEIL 200 ppm			
		AMP 600 ppm			
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.			
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of			
		environmental protection legislation. In some cases, fume scrubbers,			
		filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			
Individual protection measures					
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.			
Skin protection					
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products			
Body protection	:	if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be			
Other skin protection	:	approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks			



Version Number 1.11 Revision Date 02/09/2022

GEON[®] Performance Solutions

Page 8 of 18 Print Date 12/21/2024

involved and should be approved by a specialist before handling this product.

Respiratory protection

Enclosed space ignition -

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		

:

Not available.

Version Number 1.11 Revision Date 02/09/2022 Page 9 of 18 Print Date 12/21/2024

Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Antimony oxide				
	LD50 Oral	Rat	34,000 mg/kg	-
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
8-Oxa-3,5-dithia-4-stannatetra	decanoic acid, 4,4-di	butyl-10-ethyl-7-o	xo-, 2-ethylhexyl ester	
	LD50 Oral	Rat	510 mg/kg	-
Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	Gas.			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h
	Vapor			

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion





Version Number 1.11 Revision Date 02/09/2022

Page 10 of 18 Print Date 12/21/2024

Product/ingredient name	me Result Species Score			Exposure	Observation	
Antimony oxide	Eyes - Mild irritant	Rabbit	-		-	
Talc	Skin - Mild irritant	Human	-	72 hrs	-	
Styrene	Eyes - Mild irritant	Human	-		-	
	Skin - Mild irritant	Rabbit	-		-	
	Skin - Moderate irritant	Rabbit	-		-	
	Eyes - Severe irritant	Rabbit	-		-	
	Eyes - Moderate irritant	Rabbit	-	24 hrs	-	

Conclusion/Summary Skin Eyes Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
<u>Sensitization</u>	
Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
Carcinogenicity	
Conclusion/Summary	: Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Antimony oxide	-	2B	-
Titanium oxide (TiO2)	-	2B	-
Talc	-	132B	-
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Teratogenicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

10/18

Version Number 1.11 Revision Date 02/09/2022 **GEON**[®] Performance Solutions

<u>Specific target organ toxicity (single exposure)</u> Not available.				
Specific target organ toxicity (repeat Not available.	ed ez	xposure)		
<u>Aspiration hazard</u> Not available.				
Information on the likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.		
Symptoms related to the physical, ch	emic	cal and toxicological characteristics		
Eye contact Inhalation Skin contact Ingestion	: : :	No specific data. No specific data. No specific data. No specific data. hronic effects from short and long term exposure		
	<u>150 C</u>	in onic effects from short and long term exposure		
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	:	Not available. Not available.		
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Potential chronic health effects				
Conclusion/Summary	:	Mixture.Not fully tested.		
General Carcinogenicity Mutagenicity	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.		

11/18

GEON[®] Performance Solutions

SAFETY DATA SHEET GEON 68929 WHT 1090

Version Number 1.11 Revision Date 02/09/2022 Page 12 of 18 Print Date 12/21/2024

Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
Acute toxicity estimates N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Antimony oxide			
	Acute LC50 > 530 Mg/l Fresh	Fish - Lepomis macrochirus	96 h
	water		
	Acute EC50 560 Mg/l Fresh	Crustaceans - Cypris	48 h
	water	subglobosa	
	Acute EC50 3.01 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
Styrene			
	Acute LC50 4.02 Mg/l Fresh	Fish - Pimephales promelas	96 h
	water		
	Acute EC50 0.0047 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
	Acute LC50 52 Mg/l Marine	Crustaceans - Artemia salina	48 h
	water		
	Acute EC50 78 Mg/l Marine	Algae - Skeletonema costatum	96 h
	water		
GEON 68929 WHT 1090			



Version Number 1.11 Revision Date 02/09/2022 Page 13 of 18 Print Date 12/21/2024

Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
<u>Persistence and degradability</u> Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
8-Oxa-3,5-dithia-4-	3.4	-	low
stannatetradecanoic acid, 4,4-dibutyl-			
10-ethyl-7-oxo-, 2-ethylhexyl ester			
Styrene	0.35	13.49	low

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some
--

Version Number 1.11 Revision Date 02/09/2022 Page 14 of 18 Print Date 12/21/2024

product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed United States - TSCA 6 - Proposed risk management: Listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed



Version Number 1.11	Page 15 of 18
Revision Date 02/09/2022	Print Date 12/21/2024

		United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Antimony trioxide Acrylonitrile Arsenic Ethyl benzene Rutile, antimony chromium buff Phenol Lead Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

	US. EPA CERCLA	Hazardous Substances	(40 CFR 302)
--	----------------	----------------------	--------------

Chemical Name	CAS-No.	RQ for component
Antimony trioxide	1309-64-4	1,000 lb(s)
		454 kg
Arsenic	7440-38-2	1 lb(s)
		0.454 kg

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Version Number 1.11 Revision Date 02/09/2022 Page 16 of 18 Print Date 12/21/2024

No products were found.

Name	%	Classification
Antimony oxide	>= 5 - <= 10	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2
8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 4,4-dibutyl-10-ethyl-7-oxo-, 2-ethylhexyl ester	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
Talc	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

Form R - Reporting requirements

Product name	CAS number	%
Antimony trioxide	1309-64-4	>= 5 - <= 10
Styrene	100-42-5	> 0 - <= 0.3
Lead	7439-92-1	> 0 - <= 0.1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Antimony trioxide Styrene
New Jersey	:	The following components are listed: Ethene, chloro-, homopolymer Antimony trioxide



GEON[®] Performance Solutions

Version Number 1.11 Revision Date 02/09/2022 Page 17 of 18 Print Date 12/21/2024

Titanium dioxide Talc Styrene The following components are listed: Antimony trioxide Titanium dioxide

Talc

:

Styrene

California Prop. 65

WARNING: This product can expose you to chemicals including Antimony trioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Antimony trioxide	-	-
Titanium dioxide	-	-
Talc	-	-
Styrene	Yes.	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information



Pennsylvania

GEON[®] Performance Solutions

SAFETY DATA SHEET GEON 68929 WHT 1090

Version Number 1.11 Revision Date 02/09/2022 Page 18 of 18 Print Date 12/21/2024

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

HISTOLA		
Date of printing	:	12/21/2024
Date of issue/Date of revision	:	02/09/2022
Date of previous issue	:	04/02/2020
Version	:	1.11
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.