Version Number 1.6 Revision Date 10/03/2023



Page 1 of 16 Print Date 11/23/2024

SAFETY DATA SHEET

EP6140 E71 TFPP GREY 40%

| Section 1. Identification | | |
|--|-------------|--|
| GHS product identifier Chemical name CAS number | : | EP6140 E71 TFPP GREY 40% Mixture Mixture |
| Other means of identification Product type | : | EM00040031 solid |
| <u>Relevant identified uses of the subs</u> Product use | stance : | e or mixture and uses advised against Industrial applications. Plastics. |
| Supplier's details | : | GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145 |
| Emergency telephone number (with hours of operation) | : | 1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word Hazard statements | : | No signal word. No known significant effects or critical hazards. |

1/16

Version Number 1.6 Revision Date 10/03/2023 Page 2 of 16 Print Date 11/23/2024

Precautionary statements

| | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | EM00040031 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|--|---------------|------------|
| Talc | >= 25 - <= 50 | 14807-96-6 |
| Titanium dioxide | >= 0.3 - <= 1 | 13463-67-7 |
| Nickel antimony yellow rutile (C.I. Pigment Yellow 53) | > 0 - <= 0.3 | 8007-18-9 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. |
|-------------|---|---|
| Inhalation | : | Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | | 2/16 |



Version Number 1.6



Page 3 of 16

| Revision Date 10/03/2023 | Print Date 11/23/2024 |
|---------------------------------------|---|
| | |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effects, acut | e and delayed |
| Potential acute health effects | |
| Eye contact | No known significant effects or critical hazards. |
| Inhalation | No known significant effects or critical hazards. |
| | No known significant effects or critical hazards. |
| Ingestion | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | |
| Eye contact | No specific data. |
| Inhalation | No specific data. |
| Skin contact | No specific data. |
| Ingestion | No specific data. |
| Indication of immediate medical atten | tion and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | No specific treatment. |
| Protection of first-aiders | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal | : | Decomposition products may include the following materials: |
| | | 3/16 |



| Version Number 1.6 | Page 4 of 16 |
|--------------------------|-----------------------|
| Revision Date 10/03/2023 | Print Date 11/23/2024 |

| decomposition products | | carbon dioxide carbon monoxide metal oxide/oxides |
|--|---|---|
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|---|-------|---|
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containme | ent a | nd cleaning up |
| Small spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

:

Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8).



| Version Number 1.6 | Page 5 of 16 |
|--------------------------|-----------------------|
| Revision Date 10/03/2023 | Print Date 11/23/2024 |
| | |

| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|---|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits | |
|------------------|--|--|
| Talc | OSHA PEL Z3 (1997-09-03) | |
| | TWA 20 million particles per 1 cubic foot Form: not/asb | |
| | OSHA PEL Z3 (1997-09-03) | |
| | STEL 1 fibers per cubic centimeter Form: not/asb | |
| | TWA 0.1 fibers per cubic centimeter Form: con/asb | |
| | STEL 1 fibers per cubic centimeter Form: con/asb | |
| | ACGIH TLV (1996-05-18) | |
| | TWA 2 mg/m3 Form: Respirable fraction | |
| | ACGIH TLV (1998-09-01) | |
| | TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length> | |
| | 5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the | |
| | membrane filter method at 400 - 450 x magnification (4mm objective) | |
| | using illumination of phase contrast. | |
| | NIOSH REL (1994-06-01) | |
| | TWA 2 mg/m3 Form: Respirable fraction | |
| | OSHA PEL 1989 (1989-03-01) | |
| | TWA 2 mg/m3 Form: Respirable dust | |
| | NIOSH REL (1994-06-01) | |
| | TWA 6 mg/m3 Form: Total | |
| | TWA 3 mg/m3 Form: Respirable fraction | |
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) | |



Version Number 1.6 Revision Date 10/03/2023 Page 6 of 16 Print Date 11/23/2024

| | TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3 |
|---|--|
| Nickel antimony yellow rutile (C.I. Pigment Yellow 53) | OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) ACGIH TLV (1998-09-01) TWA 0.2 mg/m3 (as Ni) Form: Inhalable fraction |
| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker |
| Environmental exposure controls | exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | |
| Hygiene measures Eye/face protection | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used |
| | when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |



| Version Number 1.6 | Page 7 of 16 |
|--------------------------|-----------------------|
| Revision Date 10/03/2023 | Print Date 11/23/2024 |
| | |

Other skin protection:Appropriate footwear and any additional skin protection measures
should be selected based on the task being performed and the risks
involved and should be approved by a specialist before handling this
product.Respiratory protection:Based on the hazard and potential for exposure, select a respirator that
meets the appropriate standard or certification. Respirators must be
used according to a respiratory protection program to ensure proper
fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|---------------------------|---|---------------------------|
| Color | : | GREY |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | Kinematic: Not available. |
| | | |
| Aerosol product | | |

| Heat of combustion | : | Not available. |
|--------------------------------|---|----------------|
| Ignition distance | : | Not available. |
| Enclosed space ignition - Time | : | Not available. |

Version Number 1.6 Revision Date 10/03/2023 Page 8 of 16 Print Date 11/23/2024

GEON

Performance Solutions

| equivalent Enclosed space ignition - | | Not available. |
|---|---|----------------|
| Deflagration density | • | not available. |
| Flame height | : | Not available. |
| Flame duration | : | Not available. |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Acute toxicity | | | | |
|-------------------------|-----------------|------------|---------------|----------|
| Product/ingredient name | Result | Species | Dose | Exposure |
| Titanium oxide (TiO2) | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h |
| | Dusts and mists | | - | |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|----------------------|---------|-------|----------|-------------|
| Talc | Skin - Mild irritant | Human | - | 72 hrs | - |

Conclusion/Summary

| Skin | : Mixture.Not fully tested. |
|-------------|-----------------------------|
| Eyes | : Mixture.Not fully tested. |
| Respiratory | : Mixture.Not fully tested. |

Sensitization

Version Number 1.6 Revision Date 10/03/2023 Page 9 of 16 Print Date 11/23/2024

| Conclusion/Summary | | |
|------------------------|---|---------------------------|
| Skin | : | Mixture.Not fully tested. |
| Respiratory | : | Mixture.Not fully tested. |
| Mutagenicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| Carcinogenicity | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|--------------------------|------|------|---------------------------------|
| Talc | - | 132B | - |
| Titanium oxide (TiO2) | - | 2B | - |
| Nickel antimony titanium | - | 1 | Known to be a human carcinogen. |
| yellow rutile | | | |

Reproductive toxicity

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. Aspiration hazard Not available.

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

| Eye contact | : | No known significant effects or critical hazards. |
|--------------|---|---|
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |



Version Number 1.6 Revision Date 10/03/2023 Page 10 of 16 Print Date 11/23/2024

Ingestion

: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | : | No specific data. |
|--------------|---|-------------------|
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
|--|---|---|
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|-----------------------------|------|--------|-----------------------|------------------------|------------------------------------|
| EP6140 E71 TFPP GREY 40% | N/A | N/A | N/A | N/A | 6.82 Mg/l |
| Titanium oxide (TiO2) | N/A | N/A | N/A | N/A | 6.82 Mg/l |



Version Number 1.6 Revision Date 10/03/2023 Page 11 of 16 Print Date 11/23/2024

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

| Product/ingredient name | Result | Species | Exposure | |
|--|--|-------------------------------------|---------------|--|
| Titanium oxide (TiO2) | | | | |
| | Acute LC50 > 1,000 Mg/l Marine water | Fish - Fundulus heteroclitus | 96 h | |
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia dubia | 48 h | |
| | Acute LC50 6.5 Mg/l Fresh water | Daphnia - Daphnia pulex | 48 h | |
| EP6140 E71 TFPP GREY 40% | | - | | |
| Remarks - Acute - Aquatic invertebrates.: | Chemicals are not readily available | e as they are bound within the po | lymer matrix. | |
| Conclusion/Summary | : Chemicals are not read polymer matrix. | ily available as they are bound wi | thin the | |
| Persistence and degradability | | | | |
| Conclusion/Summary | : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Conclusion/Summary | : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| Bioaccumulative potential Not available. | | | | |
| Mobility in soil | | | | |
| Soil/water partition coefficien (KOC) | t : Not available. | | | |
| | | | | |



Version Number 1.6 Revision Date 10/03/2023

Page 12 of 16 Print Date 11/23/2024

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

| pc sh pr au pr di: re, sh wl di: pr | he generation of waste should be avoided or minimized wherever bassible. Disposal of this product, solutions and any by-products ould at all times comply with the requirements of environmental otection and waste disposal legislation and any regional local othority requirements. Dispose of surplus and non-recyclable oducts via a licensed waste disposal contractor. Waste should not be sposed of untreated to the sewer unless fully compliant with the quirements of all authorities with jurisdiction. Waste packaging ould be recycled. Incineration or landfill should only be considered hen recycling is not feasible. This material and its container must be sposed of in a safe way. Empty containers or liners may retain some oduct residues. Avoid dispersal of spilled material and runoff and ontact with soil, waterways, drains and sewers. |
|---|--|
| | pc sh pr au pr di re sh wi di pr |

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : Not regulated for transportation. |
|-----------------------------------|-------------------------------------|
| International Air ICAO/IATA | : Not regulated for transportation. |
| International Water IMO/IMDG | : Not regulated for transportation. |

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None |
|--------------------------|---|---|
| | | of the components are listed. |
| | | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | | United States - TSCA 4(f) - Priority risk review: Not listed |
| | | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | | _ |





Version Number 1.6 Revision Date 10/03/2023

Page 13 of 16 Print Date 11/23/2024

| | | listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Zinc ferrite brown spinel (C.I. Pigment Yellow 119) United States - EPA Clean air act (CAA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed |
|---|---|---|
| | | Not listed |
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Not listed Listed |
| | : | |
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I | | Listed |
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances Clean Air Act Section 602 Class II Substances DEA List I Chemicals (Precursor | : | Listed Not listed |
| Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances Clean Air Act Section 602 Class II Substances | : | Listed Not listed Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Version Number 1.6 Revision Date 10/03/2023 Page 14 of 16 Print Date 11/23/2024

GEO

Performance Solutions

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|--|---------------|-------------------------------|
| Talc | >= 25 - <= 50 | CARCINOGENICITY - Category 2 |
| Titanium oxide (TiO2) | >= 0.3 - <= 1 | CARCINOGENICITY - Category 2 |
| Nickel antimony titanium yellow rutile | > 0 - <= 0.3 | CARCINOGENICITY - Category 1A |

Form R - Reporting requirements

| CAS number | % |
|------------|--------------|
| 8007-18-9 | > 0 - <= 0.3 |
| | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

| State regulations | | |
|-------------------|---|--|
| Massachusetts | : | None of the components are listed. |
| New York | : | None of the components are listed. |
| New Jersey | : | The following components are listed: |
| | | Talc |
| | | Titanium dioxide |
| | | Nickel antimony yellow rutile (C.I. Pigment Yellow 53) |
| Pennsylvania | : | The following components are listed: |
| | | Talc |
| | | Titanium dioxide |
| | | Nickel antimony yellow rutile (C.I. Pigment Yellow 53) |

California Prop. 65

WARNING: This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|------------------|---------------------------|------------------------------------|
| Talc | - | - |
| Titanium dioxide | - | - |

Version Number 1.6 Revision Date 10/03/2023

Page 15 of 16 Print Date 11/23/2024

| Nickel antimony yellow rutile (C.I. Pigment Yellow 53) | | | - | - |
|---|---|----------|---|----------------------------|
| United States inventory (TSCA 8b) | : | All.com | ponents are active or exempted. | |
| United States inventory (15CA 00) | • | All Coll | ponents are active of exempted. | |
| Canada inventory | : | | one component is not listed in DS d in NDSL. | L but all such components |
| International regulations | | | | |
| Inventory list | | | | |
| Australia | : | All con | ponents are listed or exempted. | |
| Canada | : | | one component is not listed in DS | SL but all such components |
| China | : | All con | ponents are listed or exempted. | |
| Europe inventory | : | All con | ponents are listed or exempted. | |
| Japan | : | | ponents are listed or exempted. | |
| New Zealand | : | All con | ponents are listed or exempted. | |
| Philippines | : | | ponents are listed or exempted. | |
| Republic of Korea | : | All con | ponents are listed or exempted. | |
| Taiwan | : | All con | ponents are listed or exempted. | |
| Turkey | : | Not det | ermined. | |
| United States | : | All con | ponents are active or exempted. | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>

Date of printing

11/23/2024

:

Version Number 1.6 Revision Date 10/03/2023 Page 16 of 16 Print Date 11/23/2024

GEO

Performance Solutions

| Date of issue/Date of revision Date of previous issue Version | : | 10/03/2023 09/14/2020 1.6 |
|---|---|---|
| Key to abbreviations | : | ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| References | : | UN = United Nations Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.