Version Number 1.7 Revision Date 02/03/2021

GEON[®] Performance Solutions

Page 1 of 16 Print Date 12/20/2024

SAFETY DATA SHEET

B 270 (DN59)

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	B 270 (DN59) Mixture Mixture EM10023315 solid	
Relevant identified uses of the subs	e or mixture and uses advised against	
Product use	Industrial applications. Plastics.	
Supplier's details	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145	
Emergency telephone number (with hours of operation)	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, f accident).	ire, exposure or

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

1/16

Version Number 1.7 Revision Date 02/03/2021

Page 2 of 16

GEO

Performance Solutions

Print Date 12/20/2024

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10023315

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	>= 10 - <= 25	9003-54-7
Talc	>= 5 - <= 10	14807-96-6
Carbon black	> 0 - <= 0.3	1333-86-4
Tris(4-nonylphenyl, branched and linear) phosphite with $\ge 0.1\%$ w/w of 4-nonylphenol, branched and linear	> 0 - <= 0.3	26523-78-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

SAFETY DATA SHEET **B 270 (DN59)**



Version Number 1.7	Page 3 of 16
Revision Date 02/03/2021	Print Date 12/20/2024

Inhalation	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfor for breathing. Get medical attention if symptoms occur. In case inhalation of decomposition products in a fire, symptoms may b delayed. The exposed person may need to be kept under medica surveillance for 48 hours.	of e
Skin contact	Flush contaminated skin with plenty of water. Remove contamin clothing and shoes. Get medical attention if symptoms occur.	nated
Ingestion	Wash out mouth with water. Remove victim to fresh air and kee rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quar of water to drink. Do not induce vomiting unless directed to do medical personnel. Get medical attention if symptoms occur.	ntities

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion	 No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical	ttention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

SAFETY DATA SHEET **B 270 (DN59)**



Version Numb	er 1.7
Revision Date	02/03/2021

Page 4 of 16 Print Date 12/20/2024

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

Version Number 1.7 Revision Date 02/03/2021 **GEON**[®] Performance Solutions

> Page 5 of 16 Print Date 12/20/2024

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
2-Propenenitrile, polymer with Ethenylbenzene	None.
Talc	OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μ m (micrometers) and a fiber length > 5 μ m (micrometers), and the length/diameter ratio \geq /= 3/1 Form: not/asb TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μ m (micrometers) and a fiber length > 5 μ m (micrometers), and the length/diameter ratio \geq /= 3/1 Form: con/asb STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μ m (micrometers) and a fiber length > 5 μ m (micrometers), and the length/diameter ratio \geq /= 3/1 Form: con/asb



Version Number 1.7 Revision Date 02/03/2021

Page 6 of 16 Print Date 12/20/2024

Carbon black	ACGIH TLV (1996-05-18) TWA 2 mg/m3 Form: Respirable fraction ACGIH TLV (1998-09-01) TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of $<3 \mu$ m (micrometers) and a fiber length $> 5 \mu$ m (micrometers), and the length/diameter ratio $\geq /= 3/1$ Form: respiratble fibre NIOSH REL (1994-06-01) TWA 2 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 2 mg/m3 Form: Respirable dust NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Tris(4-nonylphenyl, branched and linear) phosphite with $\geq 0.1\%$ w/w of 4- nonylphenol, branched and linear	None.

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated

SAFETY DATA SHEET **B 270 (DN59)**



Version Number 1.7	Page 7 of 16
Revision Date 02/03/2021	Print Date 12/20/2024

Eye/face protection	:	clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	NO PIGMENT
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.

Version Number 1.7 Revision Date 02/03/2021

GEON **Performance Solutions**

Page 8 of 16 Print Date 12/20/2024

Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.
<u>Aerosol product</u>		
<u>Aerosol product</u> Heat of combustion	:	Not available.
	:	Not available. Not available.
Heat of combustion	:	
Heat of combustion Ignition distance	:	Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time	:	Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-Propenenitrile, polymer with e	ethenylbenzene			
	LD50 Oral	Rat	1,800 mg/kg	-

GEON[®] Performance Solutions

SAFETY DATA SHEET **B 270 (DN59)**

Version Number 1.7 Revision Date 02/03/2021 Page 9 of 16 Print Date 12/20/2024

	LD50 Oral	Rat	15,400	mg/kg -	
Conclusion/Summary	: Mixtu	are.Not fully tested.			
Irritation/Corrosion					
Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild irritar	nt Human	-	72 hrs	-
Eyes Respiratory <u>Sensitization</u>		ure.Not fully tested ure.Not fully tested			
Conclusion/Summary Skin Respiratory		ure.Not fully tested ure.Not fully tested			
Mutagenicity					
Conclusion/Summary	: Mixt	ure.Not fully tested			

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
2-Propenenitrile, polymer	-	3	-
with ethenylbenzene			
Talc	-	132B	-
Carbon black	-	2B	-

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary	: Mixture.Not fully tested.
---------------------------	-----------------------------



Version Number 1.7 Revision Date 02/03/2021 Page 10 of 16 Print Date 12/20/2024

Specific target organ toxicity (single exposure) Not available. Specific target organ toxicity (repeated exposure) Not available. **Aspiration hazard** Not available. Information on the likely routes of : Not available. exposure Potential acute health effects No known significant effects or critical hazards. Eye contact : Inhalation No known significant effects or critical hazards. : Skin contact No known significant effects or critical hazards. : Ingestion No known significant effects or critical hazards. : Symptoms related to the physical, chemical and toxicological characteristics **Eve contact** No specific data. : Inhalation : No specific data. Skin contact No specific data. : Ingestion No specific data. : Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure **Potential immediate effects** Not available. : **Potential delayed effects** Not available. : Long term exposure Potential immediate effects Not available. : **Potential delayed effects** Not available. : **Potential chronic health effects Conclusion/Summary** Mixture.Not fully tested. •

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.

SAFETY DATA SHEET **B 270 (DN59)**

Version Number 1.7 Revision Date 02/03/2021 Page 11 of 16 Print Date 12/20/2024

Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Carbon black					
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h		
	water				
Phenol, nonyl-, 1,1',1"-phosphit			-		
	Acute EC50 0.42 Mg/l	Daphnia	48 h		
B 270 (DN59)					
Remarks - Acute - Aquatic	Chemicals are not readily availab	ble as they are bound within the	e polymer matrix.		
invertebrates.:	L				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradability					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulative potential					
Product/ingredient name	LogPow	BCF Poter	ntial		





SAFETY DATA SHEET B 270 (DN59)

Version Number 1.7	Page 12 of 16
Revision Date 02/03/2021	Print Date 12/20/2024

Phenol, nonyl-, 1,1',1"-phosphite	14	1	-	high
<u>Mobility in soil</u>				
Soil/water partition coefficient (KOC)	:	Not available.		
Other adverse effects	:	No known significan	t effects or critical haza	ırds.
Section 13. Disposal co	nsi	derations		
Disposal methods	:	possible. Disposal of should at all times co protection and waste authority requirement products via a license disposed of untreated requirements of all a should be recycled. I when recycling is no disposed of in a safe product residues. Av	I to the sewer unless ful uthorities with jurisdict ncineration or landfill s t feasible. This material way. Empty containers	and any by-products nents of environmental d any regional local and non-recyclable actor. Waste should not be lly compliant with the ion. Waste packaging should only be considered and its container must be or liners may retain some material and runoff and

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

SAFETY DATA SHEET **B 270 (DN59)**



Version Number 1.7	Page 13 of 16
Revision Date 02/03/2021	Print Date 12/20/2024

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Listed 4-Nonylphenol, branched
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Listed Methylene chloride
		United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Cyclohexene, 4-ethenyl- 4-Nonylphenol, branched
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile Ethyl benzene Methylene chloride
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II	:	Not listed

GEON[®] Performance Solutions

SAFETY DATA SHEET **B 270 (DN59)**

Version Number 1.7 Revision Date 02/03/2021 Page 14 of 16 Print Date 12/20/2024

SubstancesNot listedDEA List I Chemicals (Precursor: Not listedChemicals): Not listedDEA List II Chemicals (Essential: Not listedChemicals): Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
2-Propenenitrile, polymer with ethenylbenzene	>= 10 - <= 25	ACUTE TOXICITY - oral - Category 4
Talc	>= 5 - <= 10	CARCINOGENICITY - Category 2
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Phenol, nonyl-, 1,1',1"- phosphite	> 0 - <= 0.3	SKIN SENSITIZATION - Category 1

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
Pennsylvania	:	2-Propenenitrile, polymer with Ethenylbenzene Talc Carbon black The following components are listed: Talc
<u>California Prop. 65</u>		Carbon black

WARNING: This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



Version Number	er 1.7
Revision Date	02/03/2021

Page 15 of 16 Print Date 12/20/2024

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	Not determined.
Europe inventory	:	Not determined.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. <u>History</u>



Version Number 1.7 Revision Date 02/03/2021 Page 16 of 16 Print Date 12/20/2024

Date of printing Date of issue/Date of revision Date of previous issue Version	:	12/20/2024 02/03/2021 12/21/2020 1.7
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.