GEON[®] Performance Solutions

SAFETY DATA SHEET Hostacom TKC 2007N NA2 RM5 Grey 1BY46

Version Number 1.2 Revision Date 07/14/2021 Page 1 of 15 Print Date 12/21/2024

SAFETY DATA SHEET

Hostacom TKC 2007N NA2 RM5 Grey 1BY46

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	:	Hostacom TKC 2007N NA2 RM5 Grey 1BY46 Mixture Mixture EM10042689 solid
••	•	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145
Emergency telephone number (with hours of operation)	:	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

Version Number 1.2 Revision Date 07/14/2021 Page 2 of 15 Print Date 12/21/2024

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10042689

CAS number/other identifiers

Ingredient name	%	CAS number
Talc	>= 3 - <= 5	14807-96-6
Titanium dioxide	>= 1 - <= 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.



Version Number 1.2

SAFETY DATA SHEET Hostacom TKC 2007N NA2 RM5 Grey 1BY46



Page 3 of 15

		Faye 5 01 15
Revision Date 07/14/2021		Print Date 12/21/2024
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, acu	te a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	-	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atter	<u>itio</u>	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal	:	Decomposition products may include the following materials:
decomposition products		carbon dioxide
		carbon monoxide
		3/15

suitable training.



Version Number 1.2	Page 4 of 15
Revision Date 07/14/2021	Print Date 12/21/2024

Special protective actions for fire-fighters
 Special protective equipment for fire-fighters
 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill Large spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material
		and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands



and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

GEO

Performance Solutions

Conditions for safe storage, including any incompatibilities
 Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Talc	OSHA PEL Z3 (1997-09-03)
	TWA 20 million particles per 1 cubic foot Form: not/asb
	OSHA PEL Z3 (1997-09-03)
	STEL 1 fibers per cubic centimeter Form: not/asb
	TWA 0.1 fibers per cubic centimeter Form: con/asb
	STEL 1 fibers per cubic centimeter Form: con/asb
	ACGIH TLV (1996-05-18)
	TWA 2 mg/m3 Form: Respirable fraction
	ACGIH TLV (1998-09-01)
	TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>
	5 .mu.m; length / diameter ratio (aspect) ³ 3: 1, determined by the
	membrane filter method at 400 - 450 x magnification (4mm objective)
	using illumination of phase contrast.
	NIOSH REL (1994-06-01)
	TWA 2 mg/m3 Form: Respirable fraction
	OSHA PEL 1989 (1989-03-01)
	TWA 2 mg/m3 Form: Respirable dust
	NIOSH REL (1994-06-01)
	TWA 6 mg/m3 Form: Total
	TWA 3 mg/m3 Form: Respirable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01)
	TWA 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)



Version Number 1.2 Revision Date 07/14/2021 Page 6 of 15 Print Date 12/21/2024

		TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection Body protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
Other skin protection	:	approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this
Respiratory protection	:	product. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Version Number 1.2 Revision Date 07/14/2021

Page 7 of 15

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		NY
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available. Kinematic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity





Version Number 1.2 Revision Date 07/14/2021

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute	toxicity
1 i cutt	

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Talc	Skin - Mild irritant	Human	-	72 hrs	-
Titanium oxide	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
Sensitization		
Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

Mutagenicity



SAFETY DATA SHEET Hostacom TKC 2007N NA2 RM5 Grey 1BY46

Version Number 1.2	Page 9 of 15
Revision Date 07/14/2021	Print Date 12/21/2024

Conclusion/Summary	:	Μ	ixture.Not fully t	ested.	
Carcinogenicity					
Conclusion/Summary	:	М	ixture.Not fully t	ested.	
Classification					
Product/ingredient name	OSHA		IARC	NTP	
Talc	-		132B	-	
Titanium oxide	-		2B	-	
<u>Reproductive toxicity</u>					
Conclusion/Summary	:	Μ	ixture.Not fully t	ested.	
Teratogenicity					
Conclusion/Summary	:	Μ	ixture.Not fully t	ested.	
Specific target organ toxicity (Not available.	(single expo	<u>osur</u>	<u>.e)</u>		
Specific target organ toxicity (Not available.	(repeated e	<u>xpo</u>	<u>sure)</u>		
Aspiration hazard Not available.					
Information on the likely rout exposure	es of :	No	ot available.		
Potential acute health effects					
Eye contact	:	No	o known significa	ant effects or critical hazards.	
Inhalation	:	No	o known significa	ant effects or critical hazards.	
Skin contact	:			ant effects or critical hazards.	
Ingestion	:	No	o known significa	ant effects or critical hazards.	
Symptoms related to the physic	ical, chemi	cal a	and toxicologica	l characteristics	
Eye contact	:	No	o specific data.		
Inhalation	:	No	o specific data.		
Skin contact	:	No	o specific data.		
Ingestion	:	No	o specific data.		

Version Number 1.2 Revision Date 07/14/2021 Page 10 of 15 Print Date 12/21/2024

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
Hostacom TKC 2007N NA2 RM5 Grey 1BY46	N/A	N/A	N/A	N/A	6.82 Mg/l
Titanium oxide	N/A	N/A	N/A	N/A	6.82 Mg/l

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:





Version Number 1.2 Revision Date 07/14/2021 Page 11 of 15 Print Date 12/21/2024

Toxicity

Product/ingredient name	Result	Species	Exposure			
Titanium oxide						
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h			
	Marine water					
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h			
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h			
	water					
Hostacom TKC 2007N NA2 RM	A5 Grey 1BY46					
Remarks - Acute - Aquatic	Chemicals are not readily availabl	e as they are bound within the po	lymer matrix.			
invertebrates.:			-			
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					
Persistence and degradability						
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulative potential Not available.						
<u>Mobility in soil</u>						
Soil/water partition coefficien (KOC)	nt : Not available.					
Other adverse effects	: No known significant	effects or critical hazards.				

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable



Version Number 1.2	
Revision Date 07/14/2021	

Page 12 of 15 Print Date 12/21/2024

products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	 United States - TSCA 12(b) - Chemical export notification of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not list United States - TSCA 4(a) - ITC Priority list: Not list United States - TSCA 4(a) - Proposed test rules: Not United States - TSCA 4(f) - Priority risk review: Not United States - TSCA 5(a)2 - Final significant new use listed United States - TSCA 5(a)2 - Proposed significant new Not listed United States - TSCA 5(e) - Substances consent order United States - TSCA 6 - Final risk management: Not United States - TSCA 6 - Proposed risk management: United States - TSCA 8(a) - Chemical risk rules: Not United States - TSCA 8(a) - Dioxin/Furane precusor: United States - TSCA 8(a) - Chemical Data Reporting determined 	ed ed listed e rules: Not v use rules: : Not listed t listed Not listed listed Not listed
--------------------------	---	--



Version Number 1.2	Page 13 of 15
Revision Date 07/14/2021	Print Date 12/21/2024

		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Rutile, antimony chromium buff	
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed	
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed	
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed	
		United States - Department of commerce - Precursor chemical: Not listed	
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed	
Clean Air Act Section 602 Class I Substances	:	Not listed	
Clean Air Act Section 602 Class II Substances	:	Not listed	
DEA List I Chemicals (Precursor Chemicals)	:	Not listed	
DEA List II Chemicals (Essential Chemicals)	:	Not listed	

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Talc	>= 3 - <= 5	CARCINOGENICITY - Category 2
Titanium oxide	>= 1 - <= 3	CARCINOGENICITY - Category 2

GEON[®] Performance Solutions

SAFETY DATA SHEET Hostacom TKC 2007N NA2 RM5 Grey 1BY46

Version Number 1.2 Revision Date 07/14/2021 Page 14 of 15 Print Date 12/21/2024

Not applicable.

State regulations		
Massachusetts	: None of the components are listed.	
New York	: None of the components are listed.	
New Jersey	: The following components are listed Talc	:
Pennsylvania	Titanium dioxide The following components are listed Talc	:
	Titanium dioxide	

California Prop. 65

WARNING: This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Titanium dioxide	-	-

:	All components are active or exempted.
:	At least one component is not listed in DSL but all such components are listed in NDSL.
:	Not determined.
:	At least one component is not listed in DSL but all such components are listed in NDSL.
:	Not determined.
:	All components are active or exempted.



Version Number 1.2 Revision Date 07/14/2021 Page 15 of 15 Print Date 12/21/2024

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	12/21/2024
Date of issue/Date of revision	:	07/14/2021
Date of previous issue	:	12/19/2019
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.