Version Number 1.4 Revision Date 10/31/2020



Page 1 of 17 Print Date 12/20/2024

# SAFETY DATA SHEET

### GEON HC 1180G GREEN

Section 1. Identificatio	n
GHS product identifier Chemical name	: GEON HC 1180G GREEN : Mixture
CAS number Other means of identification Product type	: Mixture : VC10008479 : solid
<u>Relevant identified uses of the subst</u> Product use	<ul> <li>ance or mixture and uses advised against</li> <li>Industrial applications. Plastics.</li> </ul>
Supplier's details	: GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145
Emergency telephone number (with hours of operation)	<ul> <li>1-800-GET-GEON or 1-800-438-4366</li> <li>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).</li> </ul>

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

Version Number 1.4 Revision Date 10/31/2020 Page 2 of 17 Print Date 12/20/2024

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10008479

**CAS number/other identifiers** 

Ingredient name	%	CAS number
Di(2-ethylhexyl)phthalate	>= 10 - <= 25	117-81-7
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	>= 0.3 - <= 1	8007-18-9
Titanium dioxide	> 0 - <= 0.3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.





Version Number 1.4	Page 3 of 17
Revision Date 10/31/2020	Print Date 12/20/2024

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medica	l attentio	on and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.
		3/17



Revision Data 10/21/2020	Version Number 1.4	
Revision Date 10/31/2020	Revision Date 10/31/2020	

### Page 4 of 17 Print Date 12/20/2024

chemical Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Version Number 1.4 Revision Date 10/31/2020 Page 5 of 17 Print Date 12/20/2024

### **Precautions for safe handling**

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 STEL 10 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 STEL 10 mg/m3 ACGIH TLV (1999-03-01) TWA 5 mg/m3
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) ACGIH TLV (1998-09-01) TWA 0.2 mg/m3 (as Ni) Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01)



### Version Number 1.4 Revision Date 10/31/2020

### Page 6 of 17 Print Date 12/20/2024

		TWA 10 mg/m3 Form: Total dust <b>OSHA PEL (1993-06-30)</b> TWA 15 mg/m3 Form: Total dust <b>ACGIH TLV (1996-05-18)</b> TWA 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
		6/17



Version Number 1.4 Revision Date 10/31/2020

# **GEON**<sup>®</sup> Performance Solutions

Page 7 of 17 Print Date 12/20/2024

# Section 9. Physical and chemical properties

### Appearance

Physical state	:	solid [Pellets.]
Color	:	GREEN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u>		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		

# Flame height:Not available.Flame duration:Not available.

# Section 10. Stability and reactivity

Version Number 1.4 Revision Date 10/31/2020



Page 8 of 17

Print Date 12/20/2024

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
1,2-Benzenedicarboxylic acid,	1,2-Benzenedicarboxylic acid, 1,2-bis(2-ethylhexyl) ester					
	LD50 Oral	Rat	30,000 mg/kg	-		
	LD50 Dermal	Rabbit	25,000 mg/kg	-		
Titanium oxide						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	Dusts and mists					
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		

**Conclusion/Summary** 

: Mixture.Not fully tested.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic acid, 1,2-bis(2-ethylhexyl) ester	Eyes - Mild irritant	Rabbit	-	24 hrs	-
	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-		-
Titanium oxide	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.

Version Number 1.4 Revision Date 10/31/2020 Page 9 of 17 Print Date 12/20/2024

### **Sensitization**

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<b>Mutagenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
1,2-Benzenedicarboxylic	-	2B	Reasonably anticipated to be a human carcinogen.
acid, 1,2-bis(2-ethylhexyl)			
ester			
C.I. Pigment Yellow 53	-	1	Known to be a human carcinogen.
This substance is identified			
in the COLOUR INDEX			
by Colour Index			
Constitution Number, C.I.			
77788.			
Titanium oxide	-	2B	-

### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure) Not available.

Not available.


#### Specific target organ toxicity (repeated exposure) Not available.

### Aspiration hazard

Not available.

### **Information on the likely routes of** : Not available.





exposure

**GEON**<sup>®</sup> Performance Solutions

Page 10 of 17

Print Date 12/20/2024

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, ch	emi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	: : :	No specific data. No specific data. No specific data. No specific data. <b>chronic effects from short and long term exposure</b>
Delayed and minediate effects and a	150 (	the one creets from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects <u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A	: : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.
IV/A		
Other information	:	This mixture has not been evaluated as a whole for health effects.

Version Number 1.4 Revision Date 10/31/2020



GEO

**Performance Solutions** 

Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
1,2-Benzenedicarboxylic acid, 1	,2-bis(2-ethylhexyl) ester		
	Acute LC50 1,106.2 Mg/l Fresh	Fish - Pimephales promelas	96 h
	water		
	Acute EC50 0.000133 Mg/l	Daphnia - Daphnia pulex	48 h
	Fresh water		
	Acute EC50 31 Mg/l Marine	Algae - Karenia brevis	96 h
	water		
	Chronic NOEC 0.076 Mg/l	Algae - Hormosira banksii	72 h
	Marine water		
	Chronic NOEC 0.012 Mg/l Fresh	Fish - Pimephales promelas	28 d
	water		
	Chronic NOEC 0.109 Mg/l Fresh	Crustaceans - Eurytemora	21 d
	water	affinis	
	Chronic NOEC 0.077 Mg/l Fresh	Daphnia - Daphnia magna	21 d
	water		
Titanium oxide			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
GEON HC 1180G GREEN			
Remarks - Acute - Aquatic	Chemicals are not readily available	e as they are bound within the po	lymer matrix.
invertebrates.:	-	-	-

**Conclusion/Summary** 

Chemicals are not readily available as they are bound within the polymer matrix.

Persistence and degradability

Conclusion/Summary

: Chemicals are not readily available as they are bound within the polymer matrix.

:

Version Number 1.4 Revision Date 10/31/2020



**Performance Solutions** 

Print Date 12/20/2024

**Conclusion/Summary** 

Chemicals are not readily available as they are bound within the polymer matrix.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, 1,2-	7.6	1,380.00	high
bis(2-ethylhexyl) ester			

### Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

:

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### United States - RCRA Acute hazardous waste "P" List: Not listed


<b>United States - RCRA Toxic hazardous waste "U" List:</b> Listed
--

Ingredient	CAS #	Status	Reference number
Di(2-ethylhexyl)phthalate	117-81-7	Listed	

### **Section 14. Transport information**

U.S.DOT 49CFR

: Not regulated for transportation.



Page 13 of 17 Print Date 12/20/2024

GEON

**Performance Solutions** 

Ground/Air/Water		
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations       :       United States - TSCA 12(b) - Chemical export notification: Non of the components are listed.         United States - TSCA 4(a) - Final Test Rules: Not listed       United States - TSCA 4(a) - Final Test Rules: Not listed         United States - TSCA 4(a) - ITC Priority list: Not listed       United States - TSCA 4(a) - Proposed test rules: Not listed	le
United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed	
United States - TSCA 4(a) - ITC Priority list: Not listed	
United States - TSCA 4(a) - Proposed test rules. Not listed	
United States - TSCA 4(f) - Priority risk review: Not listed	
United States - TSCA 5(a)2 - Final significant new use rules: No	ot
listed	
United States - TSCA 5(a)2 - Proposed significant new use rules:	:
Not listed	
United States - TSCA 5(e) - Substances consent order: Not listed	1
United States - TSCA 6 - Final risk management: Not listed	
United States - TSCA 6 - Proposed risk management: Not listed	
United States - TSCA 8(a) - Chemical risk rules: Not listed	
United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed	
United States - TSCA 8(a) - Chemical Data Reporting (CDR): N	Vot
determined	
United States - TSCA 8(a) - Preliminary assessment report	
(PAIR): Not listed	
United States - TSCA 8(c) - Significant adverse reaction (SAR):	
Not listed	
United States - TSCA 8(d) - Health and safety studies: Not listed	1
United States - EPA Clean water act (CWA) section 307 - Priori	
pollutants: Listed Di(2-ethylhexyl)phthalate	•5
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	
Zinc stearate	
Phthalocyanine green	
Zinc oxide	
Vinyl chloride monomer	
v myr emoriae monomer	
United States - EPA Clean water act (CWA) section 311 -	
Hazardous substances: Not listed	
United States - EPA Clean air act (CAA) section 112 - Accidenta	1
onned States - 11 A Oran an act (OAA) section 112 - Actiona	



Version Number 1.4	Page 14 of 17
Revision Date 10/31/2020	Print Date 12/20/2024

		<b>release prevention - Flammable substances:</b> Not listed <b>United States - EPA Clean air act (CAA) section 112 - Accidental</b> <b>release prevention - Toxic substances:</b> Not listed <b>United States - Department of commerce - Precursor chemical:</b> Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
<b>DEA List I Chemicals (Precursor</b>	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s)
		45.4 kg
		-

### SARA 311/312

Classification

Not applicable. :

### **Composition/information on ingredients**

No products were found.

Name	%	Classification
1,2-Benzenedicarboxylic	>= 10 - <= 25	EYE IRRITATION - Category 2B
acid, 1,2-bis(2-ethylhexyl)		CARCINOGENICITY - Category 2
ester		
C.I. Pigment Yellow 53 This	>= 0.3 - <= 1	CARCINOGENICITY - Category 1A
substance is identified in the		
COLOUR INDEX by		
Colour Index Constitution		
Number, C.I. 77788.		
Titanium oxide	> 0 - <= 0.3	CARCINOGENICITY - Category 2

### Form R - Reporting requirements

Version Number 1.4 Revision Date 10/31/2020 Page 15 of 17 Print Date 12/20/2024

Product name	CAS number	%
Di(2-ethylhexyl)phthalate	117-81-7	>= 10 - <= 25
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	8007-18-9	>= 0.3 - <= 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Di(2-ethylhexyl)phthalate
New Jersey	: The following components are listed: Ethene, chloro-, homopolymer Di(2-ethylhexyl)phthalate
Pennsylvania	<ul> <li>Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Titanium dioxide</li> <li>The following components are listed: Di(2-ethylhexyl)phthalate</li> </ul>
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
California Deservation	Titanium dioxide

### California Prop. 65

**WARNING:** This product can expose you to chemicals including Di(2-ethylhexyl)phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Nickel antimony yellow rutile (C.I. Pigment Yellow 53), which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Di(2-ethylhexyl)phthalate	Yes.	Yes.
Nickel antimony yellow rutile (C.I. Pigment	-	-
Yellow 53)		
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.	

:

**Canada inventory** 

All components are listed or exempted.

### **International regulations**



Version Number 1.4 Revision Date 10/31/2020 Page 16 of 17 Print Date 12/20/2024

### **Inventory list**

Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	All components are listed or exempted.
United States	:	All components are active or exempted.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	12/20/2024
Date of issue/Date of revision	:	10/31/2020
Date of previous issue	:	09/16/2020
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From



Version Number 1.4 Revision Date 10/31/2020



Page 17 of 17 Print Date 12/20/2024

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: