Version Number 1.14 Revision Date 10/10/2023



Page 1 of 17 Print Date 11/23/2024

## SAFETY DATA SHEET

### GEON EC501 GRAY 2482

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification	:	GEON EC501 GRAY 2482 Mixture Mixture VC10010249
Product type	:	solid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145
Emergency telephone number (with hours of operation)	:	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS
GHS label elements		
Signal word Hazard statements	:	Warning May form combustible dust concentrations in air.

Version Number 1.14 Revision Date 10/10/2023 Page 2 of 17 Print Date 11/23/2024

### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Keep container tightly closed.
Hazards not otherwise classified	:	None known.
		Not available.

### Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10010249

### CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 3 - <= 5	13463-67-7
Dibutyltin mercaptide	>= 1 - <= 3	10584-98-2
Carbon black	> 0 - <= 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if
Inhalation	<ul> <li>irritation occurs.</li> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory</li> </ul>
	2/17





Version Number 1.14	Page 3 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

		arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.	
Inhalation	: Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.	
Skin contact	No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symptoms		
Eye contact	: Adverse symptoms may include the following: irritation	
<b>T</b> T T <i>A</i>	redness	
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing	
Skin contact	No specific data.	
Ingestion	: No specific data.	

### Indication of immediate medical attention and special treatment needed, if necessary

## GEON **Performance Solutions**

## SAFETY DATA SHEET GEON EC501 GRAY 2482

Version Number 1.14	Page 4 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## **Section 5. Fire-fighting measures**

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or
		4/17

## **GEON**<sup>®</sup> Performance Solutions

## SAFETY DATA SHEET GEON EC501 GRAY 2482

Version Number 1.14	Page 5 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

For emergency responders	flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".				
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).				
Methods and materials for containmen	Methods and materials for containment and cleaning up				
Small spill	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.				
Large spill	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.				

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
---------------------	---	--



Version Number 1.14	Page 6 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Dibutyltin mercaptide	ACGIH TLV (1996-05-18) Absorbed through skin.TWA 0.1 mg/m3 (as Sn)ACGIH TLV (1994-09-01) Absorbed through skin.STEL 0.2 mg/m3 (as Sn)NIOSH REL (1994-06-01) Absorbed through skin.TWA 0.1 mg/m3 (as Sn)OSHA PEL 1989 (1989-03-01) Absorbed through skin.TWA 0.1 mg/m3 (as Sn)OSHA PEL 1989 (1993-06-30)TWA 0.1 mg/m3 (as Sn)
Carbon black	<b>OSHA PEL 1989 (1989-03-01)</b> TWA 3.5 mg/m3
	0/47

# **GEON**<sup>®</sup> Performance Solutions

Version Number 1.14 Revision Date 10/10/2023 Page 7 of 17 Print Date 11/23/2024

		OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the
		following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that 7/17



Version Number 1.14	Page 8 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

		the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### **Appearance**

Physical state	:	solid [Powder.]
Color	:	GREY
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
Lower and upper explosive (flammable) limits	:	<b>Lower:</b> Not available. <b>Upper:</b> Not available.
	:	
(flammable) limits	:	<b>Upper:</b> Not available.
(flammable) limits Vapor pressure	:	<b>Upper:</b> Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	<b>Upper:</b> Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	<b>Upper:</b> Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	<b>Upper:</b> Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	<b>Upper:</b> Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	<b>Upper:</b> Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	<b>Upper:</b> Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Version Number 1.14 Revision Date 10/10/2023 **GEON**<sup>®</sup> Performance Solutions

Page 9 of 17

Print Date 11/23/2024

Viscosity	:	<b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.	
Aerosol product			
Heat of combustion	:	Not available.	

Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	<ul> <li>Avoid contact with acetal homopolymers and acetyl homopolymers during processing.</li> <li>Reactive or incompatible with the following materials: oxidizing materials</li> </ul>
Hazardous decomposition products	<ul> <li>Under normal conditions of storage and use, hazardous decomposition products should not be produced.</li> </ul>

## Section 11. Toxicological information

### Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			

Version Number 1.14 Revision Date 10/10/2023 Page 10 of 17 Print Date 11/23/2024

	LD50 Dermal	Rabbit	> 5.00	0 mg/kg	-
8-Oxa-3,5-dithia-4-stannatetrad					-
6 Oxa 5,5 dilina 4 stainateurae	LD50 Oral	Rat	510 m		-
Carbon black	LD00 oftai	Itut	010 11	5/118	
	LD50 Oral	Rat	15.400	) mg/kg	-
Conclusion/Summary	: Mixture.Not fully tested.				
Irritation/Corrosion					
Conclusion/Summary Skin Eyes Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>				
<u>Sensitization</u>					
Conclusion/Summary Skin Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>				
<b>Mutagenicity</b>	Itagenicity				
Conclusion/Summary	: Mixture.Not fully tested.				
<b>Carcinogenicity</b>	Carcinogenicity				
Conclusion/Summary	: Mixture.Not fully tested.				
<b>Classification</b>					
Product/ingredient name	OSHA	IARC	NTP		
Titanium oxide (TiO2)	-	2B	-		
Carbon black	-	2B	-		
Reproductive toxicity         Conclusion/Summary       : Mixture.Not fully tested.					
Conclusion/Summary <u>Teratogenicity</u>	: M12	sture.not rully			
Conclusion/Summary	: Miz	xture.Not fully	tested.		
Specific target organ toxicity (single exposure) Not available.					



Version Number 1.14 Revision Date 10/10/2023

Page 11 of 17 Print Date 11/23/2024

GEON®

**Performance Solutions** 

	_	
Specific target organ toxicity (repeat Not available.	ed ex	<u>(posure)</u>
Not available.		
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
Inhalation	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, ch	emic	al and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: irritation, redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract
		irritation, coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a	lso cl	hronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
		11/17

Version Number 1.14 Revision Date 10/10/2023 Page 12 of 17 Print Date 11/23/2024

GEON

**Performance Solutions** 

Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
GEON EC501 GRAY 2482	20,325 mg/kg	N/A	N/A	N/A	N/A
Titanium oxide (TiO2)	N/A	N/A	N/A	N/A	6.82 Mg/l
8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 4,4- dibutyl-10-ethyl-7-oxo-, 2- ethylhexyl ester	510 mg/kg	N/A	N/A	N/A	N/A
Carbon black	15,400 mg/kg	N/A	N/A	N/A	N/A

#### **Other information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

:

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fundulus heteroclitus	96 h
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h
	Acute LC50 6.5 Mg/l Fresh water	Daphnia - Daphnia pulex	48 h
Carbon black			
	Acute EC50 37.563 Mg/l Fresh water	Daphnia - Daphnia magna	48 h



Version Number 1.14 Revision Date 10/10/2023 Page 13 of 17 Print Date 11/23/2024

**Conclusion/Summary** : Not available.

Persistence and degradability

Conclusion/Summary

Not available.

:

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
8-Oxa-3,5-dithia-4-	3.4	-	low
stannatetradecanoic acid, 4,4-dibutyl-			
10-ethyl-7-oxo-, 2-ethylhexyl ester			

### <u>Mobility in soil</u>

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized whe possible. Disposal of this product, solutions and any by-product should at all times comply with the requirements of environme protection and waste disposal legislation and any regional locat authority requirements. Dispose of surplus and non-recyclabled products via a licensed waste disposal contractor. Waste should disposed of untreated to the sewer unless fully compliant wither requirements of all authorities with jurisdiction. Waste package should be recycled. Incineration or landfill should only be corr when recycling is not feasible. This material and its container disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. He containers or liners may retain some product residues. Avoid of spilled material and runoff and contact with soil, waterwayy and sewers.
--

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Version Number 1.14 Revision Date 10/10/2023

Page 14 of 17 Print Date 11/23/2024

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not regulated for transportation.
International Water IMO/IMDG	:	Not regulated for transportation.

## Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		<b>United States - TSCA 5(a)2 - Final significant new use rules:</b> Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		<b>United States - TSCA 8(a) - Preliminary assessment report</b> ( <b>PAIR</b> ): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Vinyl chloride monomer
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		1/17



Version Number 1.14 Revision Date 10/10/2023



Page 15 of 17 Print Date 11/23/2024

		release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

### SARA 311/312

Classification

COMBUSTIBLE DUSTS :

### **Composition/information on ingredients**

Name	%	Classification
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2
8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 4,4-dibutyl-10-ethyl-7-oxo-, 2-ethylhexyl ester	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Octadecanoic acid, calcium salt (2:1)	> 0 - <= 0.1	COMBUSTIBLE DUSTS

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
-		Titanium dioxide
		Carbon black
		15/17

Version Number 1.14 Revision Date 10/10/2023

Page 16 of 17 Print Date 11/23/2024

Pennsylvania

The following components are listed: Titanium dioxide

Carbon black

:

### California Prop. 65

**WARNING:** This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0





Version Number 1.14	Page 17 of 17
Revision Date 10/10/2023	Print Date 11/23/2024

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	11/23/2024
Date of issue/Date of revision	:	10/10/2023
Date of previous issue	:	08/11/2022
Version	:	1.14
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.