Version Number 1.4 Revision Date 09/26/2022



Page 1 of 15 Print Date 12/21/2024

SAFETY DATA SHEET

GEON FIBERLOC 83520 BLACK 2999

| Section 1. Identification | | |
|--|------------|---|
| GHS product identifier Chemical name CAS number Other means of identification | : | GEON FIBERLOC 83520 BLACK 2999 Mixture Mixture VC10010670 |
| Product type | : | solid |
| <u>Relevant identified uses of the subs</u> Product use | tance : | or mixture and uses advised against Industrial applications. Plastics. |
| Supplier's details | : | GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145 |
| Emergency telephone number (with hours of operation) | : | 1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |

Version Number 1.4 Revision Date 09/26/2022 Page 2 of 15

GEON

Performance Solutions

Print Date 12/21/2024

| Signal word | : | No signal word. |
|----------------------------------|---|---|
| Hazard statements | : | No known significant effects or critical hazards. |
| Precautionary statements | | |
| | : | Not applicable. |
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | VC10010670 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|-----------------|--------------|------------|
| Carbon black | > 0 - <= 0.3 | 1333-86-4 |
| | | |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
|-------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical |
| | | |



| Version Number 1.4 | Page 3 of 15 |
|--------------------------|-----------------------|
| Revision Date 09/26/2022 | Print Date 12/21/2024 |

| | surveillance for 48 hours. |
|--------------|---|
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated |
| | clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : Wash out mouth with water. Remove victim to fresh air and keep at |
| | rest in a position comfortable for breathing. If material has been |
| | swallowed and the exposed person is conscious, give small quantities |
| | of water to drink. Do not induce vomiting unless directed to do so by |
| | medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

| Potential acute health effects | |
|--------------------------------|---|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | 2 |
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| Indication of immediate medica | al attention and special treatment needed, if necessary |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the | : | No specific fire or explosion hazard. |
| | | 3/15 |



Version Number 1.4 Revision Date 09/26/2022 Page 4 of 15 Print Date 12/21/2024

| chemical Hazardous thermal decomposition products | : | May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides |
|---|---|--|
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|--|-------------|--|
| Environmental precautions Methods and materials for containme | : ent ar | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Small spill Large spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Version Number 1.4 Revision Date 09/26/2022

Page 5 of 15 Print Date 12/21/2024

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|---|
| Carbon black | Exposure limits OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction |
| | |

| Appropriate engineering controls Environmental exposure controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be |
|---|---|---|
| | | checked to ensure they comply with the requirements of |
| | | 5/15 |

GEON Performance Solutions LLC

Individual protection measures

SAFETY DATA SHEET GEON FIBERLOC 83520 BLACK 2999



| Version Number 1.4 | Page 6 of 15 |
|--------------------------|-----------------------|
| Revision Date 09/26/2022 | Print Date 12/21/2024 |
| | |

environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical : products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection Safety eyewear complying with an approved standard should be used : when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. **Skin protection** Hand protection Chemical-resistant, impervious gloves complying with an approved : standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. **Body protection** Personal protective equipment for the body should be selected based : on the task being performed and the risks involved and should be approved by a specialist before handling this product. Other skin protection Appropriate footwear and any additional skin protection measures : should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. **Respiratory protection** Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| Physical state | : | solid [Pellets.] |
|----------------|---|------------------|
| Color | : | BLACK |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |

GEON Performance Solutions LLC

SAFETY DATA SHEET GEON FIBERLOC 83520 BLACK 2999

Version Number 1.4 Revision Date 09/26/2022 **GEON**[®] Performance Solutions

> Page 7 of 15 Print Date 12/21/2024

| Boiling point | : | Not available. |
|--------------------------------|---|---------------------------|
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not available. |
| octanol/water | | |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| | | Kinematic: Not available. |
| <u>Aerosol product</u> | | |
| Heat of combustion | : | Not available. |
| Ignition distance | : | Not available. |
| Enclosed space ignition - Time | : | Not available. |
| equivalent | | |
| Enclosed space ignition - | : | Not available. |
| Deflagration density | | |
| | | |

Flame duration: Not available.Section 10. Stability and reactivity

Flame height

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Not available.

:

Version Number 1.4 Revision Date 09/26/2022 Page 8 of 15 Print Date 12/21/2024

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|-------------------|--------------|-----------------|
| Carbon black | | ~F | | F ****** |
| | LD50 Oral | Rat | 15,400 mg/kg | - |
| Conclusion/Summary | : Mixt | ure.Not fully tes | | · |
| Irritation/Corrosion | | | | |
| Conclusion/Summary | | | | |
| Skin | | ture.Not fully te | | |
| Eyes | | ture.Not fully te | | |
| Respiratory | : Mix | ture.Not fully te | sted. | |
| <u>Sensitization</u> | | | | |
| Conclusion/Summary | | | | |
| Skin | | ture.Not fully te | | |
| Respiratory | : Mix | ture.Not fully te | sted. | |
| <u>Mutagenicity</u> | | | | |
| Conclusion/Summary | : Mix | ture.Not fully te | sted. | |
| Carcinogenicity | | | | |
| Conclusion/Summary | : Mix | ture.Not fully te | sted. | |
| Classification | | | | |
| Product/ingredient name | OSHA | IARC | NTP | |
| Carbon black | | 2B | - | |
| Reproductive toxicity | | | | |
| Conclusion/Summary | : Mix | ture.Not fully te | sted. | |
| Teratogenicity | | | | |
| Conclusion/Summary | : Mix | ture.Not fully te | sted. | |

GEON[®] Performance Solutions

Version Number 1.4 Revision Date 09/26/2022 Page 9 of 15 Print Date 12/21/2024

| Specific target organ toxicity (single Not available. | exp | <u>osure)</u> |
|--|--------|--|
| Specific target organ toxicity (repean Not available. | ted e | exposure) |
| Aspiration hazard Not available. | | |
| Information on the likely routes of exposure | : | Not available. |
| Potential acute health effects | | |
| Eye contact Inhalation Skin contact Ingestion | :: | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Symptoms related to the physical, cl | hemi | cal and toxicological characteristics |
| Eye contact Inhalation Skin contact Ingestion | :: | No specific data. No specific data. No specific data. No specific data. |
| Delayed and immediate effects and a | also (| chronic effects from short and long term exposure |
| Short term exposure | | |
| Potential immediate effects Potential delayed effects | : | |
| Long term exposure | | |
| Potential immediate effects Potential delayed effects | : | Not available. Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General Carcinogenicity Mutagenicity | : | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| | | 9/15 |

GEON[®] Performance Solutions

Version Number 1.4 Revision Date 09/26/2022 Page 10 of 15 Print Date 12/21/2024

| Teratogenicity | : | No known significant effects or critical hazards. |
|-----------------------|---|---|
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |

:

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral | Dermal | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|-----------------------------------|--------------|--------|-----------------------|------------------------|------------------------------------|
| GEON FIBERLOC 83520 BLACK 2999 | 15,400 mg/kg | N/A | N/A | N/A | N/A |
| Carbon black | 15,400 mg/kg | N/A | N/A | N/A | N/A |

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

| Result | Species | Exposure | |
|--|---|--|--|
| | | | |
| Acute EC50 37.563 Mg/l Fresh | Daphnia - Daphnia magna | 48 h | |
| water | | | |
| CK 2999 | | | |
| Chemicals are not readily available | e as they are bound within the po | lymer matrix. | |
| : Chemicals are not readily available as they are bound within the polymer matrix. | | | |
| | | | |
| : Chemicals are not read polymer matrix. | ily available as they are bound w | vithin the | |
| | Acute EC50 37.563 Mg/l Fresh water CK 2999 Chemicals are not readily available : Chemicals are not readi polymer matrix. : Chemicals are not read | Acute EC50 37.563 Mg/l Fresh water Daphnia - Daphnia magna CK 2999 Chemicals are not readily available as they are bound within the po : Chemicals are not readily available as they are bound within the polymer matrix. : Chemicals are not readily available as they are bound within the polymer matrix. | |





| Version Number 1.4 | |
|--------------------------|--|
| Revision Date 09/26/2022 | |

Page 11 of 15 Print Date 12/21/2024

| Conclusion/Summary | : | Chemicals are not readily available as they are bound within the polymer matrix. |
|--|---|--|
| Bioaccumulative potential Not available. | | |
| <u>Mobility in soil</u> | | |
| Soil/water partition coefficient (KOC) | : | Not available. |
| Other adverse effects | : | No known significant effects or critical hazards. |

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : Not regulated for transportation. | |
|-----------------------------------|--|--|
| International Air ICAO/IATA | : Not classified as dangerous goods under transport regulations. | |
| International Water | : Not classified as dangerous goods under transport regulations. | |
| 11/15 | | |

Version Number 1.4 Revision Date 09/26/2022 Page 12 of 15 Print Date 12/21/2024

IMO/IMDG

Section 15. Regulatory information

| U.S. Federal regulations | : | United States - TSCA 12(b) - Chemical export notification: None |
|--|---|---|
| 8 | | of the components are listed. |
| | | United States - TSCA 4(a) - Final Test Rules: Not listed |
| | | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | | United States - TSCA 4(f) - Priority risk review: Not listed |
| | | United States - TSCA 5(a)2 - Final significant new use rules: Not |
| | | listed |
| | | United States - TSCA 5(a)2 - Proposed significant new use rules: |
| | | Not listed |
| | | United States - TSCA 5(e) - Substances consent order: Not listed |
| | | United States - TSCA 6 - Final risk management: Not listed |
| | | United States - TSCA 6 - Proposed risk management: Not listed |
| | | United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed |
| | | United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not |
| | | determined |
| | | United States - TSCA 8(a) - Preliminary assessment report |
| | | (PAIR): Not listed |
| | | United States - TSCA 8(c) - Significant adverse reaction (SAR): |
| | | Not listed |
| | | United States - TSCA 8(d) - Health and safety studies: Not listed |
| | | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | | United States - TSCA 8(a) - Chemical risk rules: Not listed |
| | | United States - EPA Clean water act (CWA) section 307 - Priority |
| | | pollutants: Listed Vinyl chloride monomer |
| | | Polluminor Elsee (Ingremeriae monomer |
| | | United States - EPA Clean water act (CWA) section 311 - |
| | | Hazardous substances: Listed |
| | | United States - EPA Clean air act (CAA) section 112 - Accidental |
| | | release prevention - Flammable substances: Not listed |
| | | United States - EPA Clean air act (CAA) section 112 - Accidental |
| | | release prevention - Toxic substances: Not listed |
| | | United States - Department of commerce - Precursor chemical: |
| | | Not listed |
| Clean Air Act Section 112(b) | : | Listed |
| Hazardous Air Pollutants (HAPs) | | |
| Clean Air Act Section 602 Class I | : | Not listed |
| Substances | | |
| Clean Air Act Section 602 Class II | : | Not listed |
| Substances | | |
| DEA List I Chemicals (Precursor | : | Not listed |





Version Number 1.4 Revision Date 09/26/2022

Page 13 of 15 Print Date 12/21/2024

GEO

Performance Solutions

Chemicals) DEA List II Chemicals (Essential Not listed : Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable. :

Composition/information on ingredients

No products were found.

| Name | % | Classification |
|--------------|--------------|------------------------------|
| Carbon black | > 0 - <= 0.3 | CARCINOGENICITY - Category 2 |

Not applicable.

| State regulations | |
|-------------------|--|
| Massachusetts | : None of the components are listed. |
| New York | : None of the components are listed. |
| New Jersey | : The following components are listed: Ethene, chloro-, homopolymer Carbon black |
| Pennsylvania | : The following components are listed: Carbon black |
| | |

California Prop. 65

MARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredier | nt name | No significant risk level | Maximum acceptable dosage level |
|-----------|---------|---------------------------|------------------------------------|
| Carbon bl | ack | - | - |

| United States inventory (TSCA 8b) | : | All components are active or exempted. |
|-----------------------------------|---|--|
| Canada inventory | : | All components are listed or exempted. |

All components are listed or exempted.

International regulations

Version Number 1.4 Revision Date 09/26/2022 Page 14 of 15 Print Date 12/21/2024

GEO

Performance Solutions

Inventory list

| Australia | : | All components are listed or exempted. |
|-------------------|---|--|
| Canada | : | All components are listed or exempted. |
| China | : | All components are listed or exempted. |
| Europe inventory | : | Not determined. |
| Japan | : | All components are listed or exempted. |
| New Zealand | : | Not determined. |
| Philippines | : | All components are listed or exempted. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | All components are listed or exempted. |
| Turkey | : | Not determined. |
| United States | : | All components are active or exempted. |
| | | |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | / | 0 |
|------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| - | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| Date of printing:12/21/2024Date of issue/Date of revision:09/26/2022Date of previous issue:02/26/2021Version:1.4Key to abbreviations:ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From | HISTOL Y | | |
|--|--------------------------------|---|---|
| Date of previous issue : 02/26/2021 Version : 1.4 Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | Date of printing | : | 12/21/2024 |
| Version : 1.4 Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | Date of issue/Date of revision | : | 09/26/2022 |
| Key to abbreviations : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | Date of previous issue | : | 02/26/2021 |
| BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | Version | : | 1.4 |
| GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | • | | BCF = Bioconcentration Factor |
| IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | | | GHS = Globally Harmonized System of Classification and Labelling of |
| IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | | | Chemicals |
| IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient | | | IATA = International Air Transport Association |
| LogPow = logarithm of the octanol/water partition coefficient | | | IBC = Intermediate Bulk Container |
| | | | IMDG = International Maritime Dangerous Goods |
| | | | LogPow = logarithm of the octanol/water partition coefficient |
| | | | |

:

Version Number 1.4 Revision Date 09/26/2022



Page 15 of 15 Print Date 12/21/2024

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.