Version Number 1.2 Revision Date 09/16/2020



Page 1 of 18 Print Date 12/20/2024

## SAFETY DATA SHEET

### GEON R130AED WHITE 41

Section 1. Identification	n	
GHS product identifier Chemical name CAS number	:	GEON R130AED WHITE 41 Mixture Mixture
Other means of identification Product type	:	VC10012022 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145
Emergency telephone number (with hours of operation)	:	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

Version Number 1.2 Revision Date 09/16/2020

Page 2 of 18 Print Date 12/20/2024

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10012022

CAS number/other identifiers

Ingredient name	%	CAS number
Di(2-ethylhexyl)phthalate	25 - 50	117-81-7
Titanium dioxide	5 - 10	13463-67-7
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	0 - 0.3	64359-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.





Version Number 1.2	Page 3 of 18
Revision Date 09/16/2020	Print Date 12/20/2024

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	<u>entio</u>	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.

# **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.
		3/18



Version Number 1.2	
Revision Date 09/16/2020	F

### Page 4 of 18 Print Date 12/20/2024

chemical Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ai	nd cleaning up
Small spill Large spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water
		courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Version Number 1.2 Revision Date 09/16/2020 Page 5 of 18 Print Date 12/20/2024

### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 STEL 10 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 STEL 10 mg/m3 ACGIH TLV (1999-03-01) TWA 5 mg/m3
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3



# **GEON**<sup>®</sup> Performance Solutions

### Version Number 1.2 Revision Date 09/16/2020

Page 6 of 18 Print Date 12/20/2024

3(2H)-Isothiazolone, 4,5-dichloro-2- octyl-	None.	
Appropriate engineering controls : Environmental exposure controls :	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measures		
Hygiene measures : Eye/face protection :	products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Skin protection		
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.	
Body protection :		
Other skin protection :		
Respiratory protection :		

## Section 9. Physical and chemical properties



Version Number 1.2 Revision Date 09/16/2020

# **GEON**<sup>®</sup> Performance Solutions

Page 7 of 18 Print Date 12/20/2024

### **Appearance**

Physical state	:	solid [Pellets.]				
Color	:	WHITE				
Odor	:	Not available.				
Odor threshold	:	Not available.				
рН	:	Not available.				
Melting point	:	Not available.				
Boiling point	:	Not available.				
Flash point	:	Not available.				
Burning time	:	Not available.				
Burning rate	:	Not available.				
Evaporation rate	:	Not available.				
Flammability (solid, gas)	:	Not available.				
Lower and upper explosive	:	Lower: Not available.				
(flammable) limits		<b>Upper:</b> Not available.				
Vapor pressure	:	Not available.				
Vapor density	:	Not available.				
Relative density	:	Not available.				
Solubility	:	Not available.				
Solubility in water	:	Not available.				
Partition coefficient: n-	:	Not available.				
octanol/water						
Auto-ignition temperature	:	Not available.				
Decomposition temperature	:	Not available.				
SADT	:	Not available.				
Viscosity	:	Dynamic: Not available.				
		Kinematic: Not available.				
Aerosol product						
Heat of combustion	:	Not available.				
Ignition distance	:	Not available.				
Enclosed space ignition - Time	:	Not available.				
equivalent						
Enclosed space ignition -	:	Not available.				
Deflagration density						
Flame height	:	Not available.				
Flame duration	:	Not available.				

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	: Stable under recommended storage and handling conditions (see		
7/4 0			

Version Number 1.2 Revision Date 09/16/2020

Page 8 of 18 Print Date 12/20/2024

GEON

**Performance Solutions** 

Possibility of hazardous reactions	:	Section 7). Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Information on toxicological effects**

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3(2H)-Isothiazolone, 4,5-dichl	oro-2-octyl-			
	LD50 Oral	Rat	> 2,000 mg/kg	-
<b>Remarks - Inhalation:</b>	No applicable toxi	city data		
	LD50 Dermal	Rat	> 2,000 mg/kg	-
Titanium dioxide				
Remarks - Oral:	No applicable toxi	city data		
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Di(2-ethylhexyl)phthalate				
	LD50 Oral	Rat	30,000 mg/kg	-
<b>Remarks - Inhalation:</b>	No applicable toxicity data			
	LD50 Dermal	Rabbit	25,000 mg/kg	-
Conclusion/Summary	: Mixtu	re.Not fully tested.	· · · ·	•

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
D:(2 atheath and) which also		Dabb:4		24 has	
Di(2-ethylhexyl)phthalate	Eyes - Mild irritant	Rabbit		24 hrs	-
	Skin - Mild irritant	Rabbit		24 hrs	-
	Eyes - Mild	Rabbit			-
	irritant				

Version Number 1.2 Revision Date 09/16/2020 Page 9 of 18 Print Date 12/20/2024

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Sensitization</u>		
Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.

### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide	-	2B	-
Di(2-ethylhexyl)phthalate	-	2B	Reasonably anticipated to be a human carcinogen.

### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

### **Teratogenicity**

### **Conclusion/Summary** : Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

## Information on likely routes of : Not available. exposure

### Potential acute health effects



Version Number 1.2 Revision Date 09/16/2020



Page 10 of 18

Print Date 12/20/2024

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity Teratogenicity Developmental effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

### Numerical measures of toxicity

### Acute toxicity estimates

Not available.

Version Number 1.2 Revision Date 09/16/2020 Page 11 of 18 Print Date 12/20/2024

## Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
3(2H)-Isothiazolone, 4,5-dichl	oro-2-octyl-		
	Acute LC50 0.0027 Mg/l Fresh	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		-
	Acute EC50 0.001 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 0.022 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Crustaceans	
<b>Remarks - Acute - Aquatic</b>	Acute		
invertebrates.:			-
	Acute EC50 0.003 Mg/l Fresh	Aquatic plants - Algae	72 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:			1
	Acute EC50 0.018 Mg/l Marine	Aquatic plants - Algae	96 h
	water		
Remarks - Acute - Aquatic	Acute		
plants:		1	
	Acute NOEC 0.019789 Mg/l	Aquatic plants - Algae	96 h
	Marine water		
Remarks - Acute - Aquatic	Chronic		
plants:	<u> </u>		
	Chronic NOEC 0.00056 Mg/l	Fish - Fish	97 d
<b>Remarks - Chronic - Fish:</b>	Chronic		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute	1	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			40.1
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Daphnia	
Remarks - Acute - Aquatic	Acute		
	11/10		



Version Number 1.2 Revision Date 09/16/2020 Page 12 of 18 Print Date 12/20/2024

invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	No applicable toxicity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:	No applicable toxicity data		
Di(2-ethylhexyl)phthalate			
Di(2-ethymexyr)phthalate	Acute LC50 1,106.2 Mg/l Fresh	Fish - Fish	96 h
	water	1 1511 - 1 1511	90 II
Remarks - Acute - Fish:	Acute		
Remarks Reate Tish.	Acute EC50 0.000133 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	40 11
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute EC50 31 Mg/l Marine water	Aquatic plants - Algae	96 h
Remarks - Acute - Aquatic	Acute		
plants:			
	Acute NOEC 0.076 Mg/l Marine	Aquatic plants - Algae	72 h
	water		
Remarks - Acute - Aquatic	Chronic		
plants:			-
	Chronic NOEC 0.012 Mg/l Fresh	Fish - Fish	28 d
	water		
Remarks - Chronic - Fish:	Chronic	1	1
	Chronic NOEC 0.109 Mg/l Fresh	Aquatic invertebrates.	21 d
	water Crustaceans		
Remarks - Chronic -	Chronic		
Aquatic invertebrates.:			
	Chronic NOEC 0.077 Mg/l Fresh	Aquatic invertebrates.	21 d
	water	Daphnia	
Remarks - Chronic -	Chronic		
Aquatic invertebrates.:			
GEON R130AED WHITE 41		a 1 1 a a	1
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.		
Conclusion/Summary	Chamicals are not readil	y available as they are bou	nd within the
Conclusion/Summary	: Chemicals are not readil polymer matrix.	ly available as they are bou	nd within the
	porymer maura.		
Persistence and degradability	v		
	-		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the		
-	polymer matrix.	-	

# **GEON**<sup>®</sup> Performance Solutions

Version Number 1.2 Revision Date 09/16/2020 Page 13 of 18 Print Date 12/20/2024

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Di(2-ethylhexyl)phthalate	7.6	1,380.00	high

### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging
	requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### United States - RCRA Acute hazardous waste "P" List: Not listed

### United States - RCRA Toxic hazardous waste "U" List: Listed

CAS #	Status	Reference number
117-81-7	Listed	

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules

Version Number 1.2 Revision Date 09/16/2020 Page 14 of 18 Print Date 12/20/2024

International Water IMO/IMDG : Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations :	United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Listed Poly(oxy-1,2-ethanediyl), .alpha(4-
	nonylphenyl)omegahydroxy-,branched
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Di(2-ethylhexyl)phthalate
	1,2-Benzenedicarboxylic acid, 1,2-diisodecyl ester
	Zinc chloride (ZnCl2)
	Rutile, antimony chromium buff
	Phenol
	Vinyl chloride monomer
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Toxic substances: Not listed
	United States - Department of commerce - Precursor chemical:
	·····



Version Number 1.2 Revision Date 09/16/2020 Page 15 of 18 Print Date 12/20/2024

Clean Air Act Section 112(b)	:	Not listed Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s)
		45.4 kg

### SARA 311/312

Classification

: Not applicable.

### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Di(2-ethylhexyl)phthalate	>= 25 - <= 50	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2
Titanium dioxide	>= 5 - <= 10	CARCINOGENICITY - Category 2
3(2H)-Isothiazolone, 4,5- dichloro-2-octyl-	> 0 - <= 0.3	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1A

### <u>SARA 313</u>

### Form R - Reporting requirements

Product name	CAS number	%
Di(2-ethylhexyl)phthalate	117-81-7	>= 25 - <= 50



Version Number 1.2 Revision Date 09/16/2020

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Di(2-ethylhexyl)phthalate
New Jersey	: The following components are listed: Ethene, chloro-, homopolymer Di(2-ethylhexyl)phthalate Titanium dioxide
Pennsylvania	: The following components are listed: Titanium dioxide
	Di(2-ethylhexyl)phthalate

### California Prop. 65

**WARNING:** This product can expose you to chemicals including Di(2-ethylhexyl)phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Titanium dioxide, which is known to the State of California to cause cancer, and 1,2-Benzenedicarboxylic acid, 1,2-diisodecyl ester, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
1,2-Benzenedicarboxylic acid, 1,2-diisodecyl ester	-	Yes.
Titanium dioxide	-	-
Di(2-ethylhexyl)phthalate	Yes.	Yes.

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
		16/18



Page 16 of 18 Print Date 12/20/2024

# **GEON**<sup>®</sup> Performance Solutions

## SAFETY DATA SHEET GEON R130AED WHITE 41

Version Number 1.2 Revision Date 09/16/2020 Page 17 of 18 Print Date 12/20/2024

•

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0
-		

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instoly</u>		
Date of printing	:	12/20/2024
Date of issue/Date of revision	:	09/16/2020
Date of previous issue	:	11/22/2019
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
Deferment		pollution) UN = United Nations
References	:	Not available.

### Notice to reader

# **GEON**<sup>®</sup> Performance Solutions

## SAFETY DATA SHEET GEON R130AED WHITE 41

Version Number 1.2 Revision Date 09/16/2020 Page 18 of 18 Print Date 12/20/2024

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.