Version Number 1.1 Revision Date 10/05/2023



Page 1 of 16 Print Date 11/23/2024

# SAFETY DATA SHEET

#### 36639-02 EXPL6121 NATURAL 0000

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification	: : : :	36639-02 EXPL6121 NATURAL 0000 Mixture Mixture VC10013380
Product type	:	solid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	GEON Performance Solutions LLC 25777 Detroit Road Suite 202, Westlake, Ohio 44145
Emergency telephone number (with hours of operation)	:	1-800-GET-GEON or 1-800-438-4366 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		

Version Number 1.1 Revision Date 10/05/2023



Page 2 of 16 Print Date 11/23/2024

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	VC10013380

CAS number/other identifiers

Ingredient name	%	CAS number
Talc	>= 10 - <= 25	14807-96-6
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-	>= 1 - <= 3	57583-34-3
Quartz	> 0 - <= 0.3	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.



Version Number 1.1	Page 3 of 16
Revision Date 10/05/2023	Print Date 11/23/2024

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion <u>Indication of immediate medical atte</u>	: : :	No specific data. No specific data. No specific data. No specific data. <b>n and special treatment needed, if necessary</b>
Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.
		3/16



Version Number 1.1 Revision Date 10/05/2023

#### Page 4 of 16 Print Date 11/23/2024

chemical Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Version Number 1.1 Revision Date 10/05/2023

# Page 5 of 16 Print Date 11/23/2024

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.


### Section 8. Exposure controls/personal protection


#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits			
Talc	ACGIH TLV (1996-05-18)			
	TWA 2 mg/m3 Form: Respirable fraction			
	ACGIH TLV (1998-09-01)			
	TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>			
	5 .mu.m; length / diameter ratio (aspect) <sup>3</sup> 3: 1, determined by the			
	membrane filter method at 400 - 450 x magnification (4mm objective)			
	using illumination of phase contrast.			
	OSHA PEL 1989 (1989-03-01)			
	TWA 2 mg/m3 Form: Respirable dust			
	NIOSH REL (1994-06-01)			
	TWA 2 mg/m3 Form: Respirable fraction			
	OSHA PEL Z3 (1997-09-03)			
	TWA 20 million particles per 1 cubic foot Form: not/asb			
	OSHA PEL Z3 (1997-09-03)			
	STEL 1 fibers per cubic centimeter Form: not/asb			
	TWA 0.1 fibers per cubic centimeter Form: con/asb			
	STEL 1 fibers per cubic centimeter Form: con/asb			







GEON

**Performance Solutions** 

	NIOSH REL (1994-06-01) TWA 6 mg/m3 Form: Total TWA 3 mg/m3 Form: Respirable fraction
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	OSHA PEL (1993-06-30)           TWA 0.1 mg/m3 (as Sn)           NIOSH REL (1994-06-01) Absorbed through skin.           TWA 0.1 mg/m3 (as Sn)           OSHA PEL 1989 (1989-03-01) Absorbed through skin.           TWA 0.1 mg/m3 (as Sn)           OSHA PEL 1989 (1989-03-01) Absorbed through skin.           TWA 0.1 mg/m3 (as Sn)           ACGIH TLV (1996-05-18) Absorbed through skin.           TWA 0.1 mg/m3 (as Sn)           ACGIH TLV (1994-09-01) Absorbed through skin.           STEL 0.2 mg/m3 (as Sn)
Quartz	OSHA PEL 1989 (1989-03-01)TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dustOSHA PEL Z3 (1997-09-03)TWA 250 MPPCF / (%SiO2+5) Form: RespirableTWA 10 MG /M3 / (%SiO2+2) Form: RespirableOSHA PEL Z3 (1997-09-03)TWA 30 MG /M3 / (%SiO2+2) Form: Total dustNIOSH REL (1994-06-01)TWA 0.05 mg/m3 Form: Respirable dustACGIH TLV (2005-12-09)TWA 0.025 mg/m3 Form: Respirable fractionOSHA PEL (2016-06-23)TWA 0.05 mg/m3 Form: Respirable dust

Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to

### **GEON Performance Solutions LLC**

### SAFETY DATA SHEET 36639-02 EXPL6121 NATURAL 0000



Version Number 1.1	Page 7 of 16
Revision Date 10/05/2023	Print Date 11/23/2024

Eye/face protection	<ul> <li>remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.</li> </ul>
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	NO PIGMENT
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.

Version Number 1.1 Revision Date 10/05/2023



Page 8 of 16 Print Date 11/23/2024

Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
·		Kinematic: Not available.
<u>Aerosol product</u>		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion	:	<b>Kinematic:</b> Not available. Not available.
	:	
Heat of combustion		Not available.
Heat of combustion Ignition distance	:	Not available. Not available.
Heat of combustion Ignition distance Enclosed space ignition - Time	:	Not available. Not available.

### Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Not available.

Not available.

:

:

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Flame height

Flame duration

Product/ingredient name	Result	Species	Dose	Exposure		
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-,						


Version Number 1.1 Revision Date 10/05/2023 Page 9 of 16 Print Date 11/23/2024

2-ethylhexyl ester						
	LD50 Oral	Rat		920 mg/kg	g	-
Conclusion/Summary <u>Irritation/Corrosion</u>	: M	ixture.Not	fully tested.			
Product/ingredient name	Result		Species	Score	Exposure	e Observation
Talc	Skin - Mild irr	itant	Human	-	72 hrs	
Tuic	Skin Wind III	num	Tuman		72 1113	
Conclusion/Summary Skin Eyes Respiratory	: N	lixture.Not	fully tested. fully tested. fully tested.			
<u>Sensitization</u>						
Conclusion/Summary Skin Respiratory <u>Mutagenicity</u>			fully tested. fully tested.			
Conclusion/Summary	: N	lixture.Not	fully tested.			
<b>Carcinogenicity</b>						
Conclusion/Summary	: N	lixture.Not	fully tested.			
<b>Classification</b>						
Product/ingredient name	OSHA	IARC	NTP			
Talc	-	312B	-			
Quartz	-	1	Knov	wn to be a hum	an carcinog	gen.
<u>Reproductive toxicity</u> Conclusion/Summary		linture Not	fully tested.			
<u>Teratogenicity</u>	: N	IIATUI C.INOI	Turry tested.			
Conclusion/Summary	: N	lixture.Not	fully tested.			

#### Specific target organ toxicity (single exposure)

Not available.





Page 10 of 16 Print Date 11/23/2024

GEON

**Performance Solutions** 

#### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Quartz	Category 1	-	-
Aspiration hazard Not available.			
Information on the likely routes of exposure	: Not available.		
Potential acute health effects			
Eye contact Inhalation Skin contact Ingestion	<ul><li>No known signifi</li><li>No known signifi</li><li>No known signifi</li></ul>	cant effects or critical ha cant effects or critical ha cant effects or critical ha cant effects or critical ha	azards. azards.
Symptoms related to the physical,	chemical and toxicologic	al characteristics	
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects and	<ul> <li>No specific data.</li> </ul>	m short and long term	<u>exposure</u>
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	<ul><li>Not available.</li><li>Not available.</li></ul>		
Potential immediate effects Potential delayed effects	<ul><li>Not available.</li><li>Not available.</li></ul>		
Potential chronic health effects			
Conclusion/Summary	: Mixture.Not fully	v tested.	
General Carcinogenicity Mutagenicity	: No known signifi	cant effects or critical ha cant effects or critical ha cant effects or critical ha	azards.

10/16

:

:

:

Version Number 1.1 Revision Date 10/05/2023



GEO

**Performance Solutions** 

Teratogenicity Developmental effects Fertility effects

- No known significant effects or critical hazards.
- No known significant effects or critical hazards.
- : No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
36639-02 EXPL6121 NATURAL 0000	920 mg/kg	N/A	N/A	N/A	N/A
8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 10- ethyl-4-[[2-[(2- ethylhexyl)oxy]-2- oxoethyl]thio]-4-methyl-7- oxo-, 2-ethylhexyl ester	920 mg/kg	N/A	N/A	N/A	N/A

#### **Other information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure	
36639-02 EXPL6121 NATURAL 0000				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available as they are bound within the polymer matrix.			
Conclusion/Summary		nicals are not readily available as they are mer matrix.	bound within the	
Persistence and degradability				
Conclusion/Summary		micals are not readily available as they are mer matrix.	bound within the	
11/16				



Version Number 1.1 Revision Date 10/05/2023 Page 12 of 16 Print Date 11/23/2024

Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulative potential Not available.		
<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.

Version Number 1.1 Revision Date 10/05/2023



Page 13 of 16 Print Date 11/23/2024

International Water IMO/IMDG : Not classified as dangerous goods under transport regulations.

### Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		<b>United States - TSCA 8(d) - Health and safety studies:</b> Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Vinyl chloride monomer
		Ponumist Liste (ingremented instanted
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:
		Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)	-	
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed

Version Number 1.1 Revision Date 10/05/2023 Page 14 of 16 Print Date 11/23/2024

GEO

**Performance Solutions** 

SubstancesNot listedDEA List I Chemicals (Precursor: Not listedChemicals): Not listedDEA List II Chemicals (Essential: Not listedChemicals): Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Talc	>= 10 - <= 25	CARCINOGENICITY - Category 2
8-Oxa-3,5-dithia-4- stannatetradecanoic acid, 10-ethyl-4-[[2-[(2- ethylhexyl)oxy]-2- oxoethyl]thio]-4-methyl-7- oxo-, 2-ethylhexyl ester	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 4
Quartz	> 0 - <= 0.3	CARCINOGENICITY - inhalation - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
Pennsylvania	:	Ethene, chloro-, homopolymer Talc Quartz The following components are listed: Talc
		Quartz

14/16



Version Number 1.1 Revision Date 10/05/2023 Page 15 of 16 Print Date 11/23/2024

#### <u>California Prop. 65</u>

**WARNING:** This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Quartz	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them.



Version Number 1.1 Revision Date 10/05/2023 Page 16 of 16 Print Date 11/23/2024

HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>Instory</u>		
Date of printing	:	11/23/2024
Date of issue/Date of revision	:	10/05/2023
Date of previous issue	:	02/04/2021
Version	:	1.1
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.